

On the L^∞ -uniqueness of multidimensional Nelson's diffusion

LUDOVIC DAN LEMLE

ABSTRACT.

In this paper we study the uniqueness in the sense of the essential self-adjointness for the generator of Nelson's diffusion on L^∞ . As consequence it is obtained the L^1 -uniqueness of weak solutions for the associated Fokker-Planck-Kolmogorov equation.

1. FRAMEWORK

Acknowledgments. I am grateful to the anonymous referees for their careful reading and for useful suggestions. This work was partially supported by the strategic grant POS-DRU/21/1.5/G/13798, inside POSDRU Romania 2007-2013, co-financed by the European Social Fund - Investing in People.

REFERENCES

- [1] Albeverio, S., Kondratiev, J. G. and Röckner, M., *An approximate criterium of essential self-adjointness of Dirichlet operators*, Potential Analysis, **1** (1992), 307–317
- [2] Albanese, A., Lorenzi, L. and Mangino, E., *L^p -uniqueness for elliptic operators with unbounded coefficients in \mathbb{R}^N* , J. Funct. Anal., **256** (2009), 1238–1257
- [3] Bogachev, V. I., Krylov, N. V. and Röckner, M., *Elliptic regularity and essential self-adjointness of Dirichlet operators*, Ann. Scuola Norm. Sup. Pisa Cl. Sci., **24** (1997), 451–461
- [4] Bogachev, V. I., Kirillov, A. I. and Shaposhnikov, S. V., *Integrable solutions of the stationary Kolmogorov equation*, Dokl. Math., **85** (2012), 309–314
- [5] Bogachev, V. I., Da Prato, G., Röckner, M. and Stannat, W., *Uniqueness of solutions to weak parabolic equations for measures*, Bull. London Math. Soc., **39** (2007), 631–640
- [6] Bogachev, V. I., Da Prato, G. and Röckner, M., *On parabolic equation for measures*, Commun. Partial Diff. Equations, **33** (2008), 397–418
- [7] Bogachev, V. I., Röckner, M. and Shaposhnikov, S. V., *On uniqueness problems related to the Fokker-Planck-Kolmogorov equation for measures*, J. Math. Sci., **179** (2011), 7–47
- [8] Eberle, A., *L^p Uniqueness of non-symmetric diffusion operators with singular drift coefficients*, J. Funct. Anal., **173** (2000), 328–342
- [9] Lemle, L. D., *Existence and uniqueness for C_0 -semigroups on the dual of a Banach space*, Carpathian J. Math., **26** (2010), 67–76
- [10] Lemle, L. D. and Wu, L. M., *Uniqueness of C_0 -semigroups on a general locally convex vector space and an application*, Semigroup Forum, **82** (2011), 485–496
- [11] Lemle, L. D., Pater, F. L. and Berdie, A., Note on Kato's type inequality, in *Numerical Analysis and Applied Mathematics* (T. Simos, Ed.), A.I.P. Conference Proceedings, Melville, 2011, pp.528–531
- [12] Lemle, L. D., Jiang, Y., Pater, F. L. and Cismas, E., Note on the L^1 -uniqueness of Fokker-Planck equation, in *Numerical Analysis and Applied Mathematics* (T. Simos, Ed.), A.I.P. Conference Proceedings, Melville, 2011, pp.521–523
- [13] Lotz, H. P., *Semigroups on L^∞ and H^∞* , in *One Parameter Semigroups of Positive Operators* (R. Nagel, Ed.), Springer, Berlin, 1986, pp.54–58

Received: 04.02.2013; In revised form: 03.10.2013; Accepted: 15.01.2014

2010 Mathematics Subject Classification. 60J60, 81Q10, 35Q84, 35Q30.

Key words and phrases. L^∞ -uniqueness, diffusion, Fokker-Planck equation, weak solution.

- [14] Metafune, G., Pallara, D., Rabier, P. J. and Schnaubert, R., *Uniqueness for elliptic operators on $L^p(\mathbb{R}^N)$ with unbounded coefficients*, Forum Math., **22**(2010), 583–601
- [15] Meyer, P. A. and Zheng, W. A., *Construction du processus de Nelson reversible*, Springer, Berlin, 1984
- [16] Pater, F. L., *Note on Kato's type inequality*, Math. Inequal. Appl., **16** (2013), 249–254
- [17] Röckner, M. and Zhang, T. S., *Uniqueness of generalized Schrödinger operators and applications*, J. Funct. Anal., **105** (1992), 187–231
- [18] Röckner, M. and Zhang, T. S., *Uniqueness of generalized Schrödinger operators and applications II*, J. Funct. Anal., **119** (1994), 455–467
- [19] Shaposhnikov, S. V., *On the uniqueness of integrable and probability solutions to the Cauchy problem for the Fokker-Planck-Kolmogorov equations*, Dokl. Math., **84** (2011), 565–570
- [20] Wielens, N., *On the essential self-adjointness of generalized Schrödinger operators*, J. Funct. Anal., **61** (1985), 98–115
- [21] Wu, L. M., *Uniqueness of Schrödinger operators restricted in a domain*, J. Funct. Anal., **153** (1998), 276–319
- [22] Wu, L. M., *Uniqueness of Nelson's diffusions*, Probab. Theory Relat. Fields, **114** (1999), 549–585
- [23] Wu, L. M. and Zhang, Y., *A new topological approach for uniqueness of operators on L^∞ and L^1 -uniqueness of Fokker-Planck equations*, J. Funct. Anal., **241** (2006), 557–610

DEPARTMENT OF ELECTRICAL ENGINEERING AND INDUSTRIAL INFORMATICS

"POLITEHNICA" UNIVERSITY OF TIMIȘOARA

REVOLUȚIEI 5, 331128 HUNEDOARA, ROMANIA

E-mail address: dan.lemle@fih.upt.ro