

Extended convergence of Gauss-Newton's method and uniqueness of the solution

IOANNIS K. ARGYROS, YEOL JE CHO and SANTHOSH GEORGE

ABSTRACT.

The aim of this paper is to extend the applicability of the Gauss-Newton's method for solving nonlinear least squares problems using our new idea of restricted convergence domains. The new technique uses tighter Lipschitz functions than in earlier papers leading to a tighter ball convergence analysis.

REFERENCES

- [1] Amat, S., Hernández, M. A. and Romero, N., *Semilocal convergence of a sixth order iterative method for quadratic equations*, Applied Numerical Mathematics, **62** (2012), 833–841
- [2] Argyros, I. K., Cho, Y. J. and Hilout, S., *Numerical methods for equations and its applications*, CRC Press, Taylor and Francis, New York, 2012
- [3] Argyros, I. K., Cho, Y. J. and George, S., *Local convergence for some third-order iterative methods under weak conditions*, J. Korean Math. Soc., **53** (2016), No. 4, 781–793
- [4] Argyros, I. K. and Magreñán, A. A., *Iterative Algorithms I*, Nova Science Publishers Inc., New York, 2016
- [5] Argyros, I. K. and Magreñán, A. A., *Iterative methods and their dynamics with applications*, CRC Press, New York, 2017
- [6] Argyros, I. K. and Magreñán, A. A., *Iterative Algorithms II*, Nova Science Publishers Inc., New York, 2017
- [7] Chen, J. and Li, W., *Convergence of Gauss-Newton's method and uniqueness of the solution*, Appl. Math. Comput., **170** (2005), 687–705
- [8] Haubler, W. M., *A Kantorovich convergence analysis for the Gauss-Newton method*, Numer. Math., **48** (1986), 119–125
- [9] Magreñán, A. A., *Different anomalies in a Jarratt family of iterative root finding methods*, Appl. Math. Comput., **233** (2014), 29–38
- [10] Magreñán, A. A., *A new tool to study real dynamics: The convergence plane*, Appl. Math. Comput., **248** (2014), 29–38
- [11] Ortega, M. and Rheinboldt, W. C., *Iterative solution of nonlinear equations in several variables*, Academic Press, New York, 1970
- [12] Stewart, G. W., *On the continuity of the generalized inverse*, SIAM J. Math., **17** (1960), 33–45
- [13] Smale, S., *Newton's method estimates from data at one point* in: R Ewing, K. Gross, C. Martin (Eds). *The merging of disciplines: New directions in Pure Applied and Computational Mathematics*, Springer, New York, 1886, 185–196
- [14] Traub, J. F. and Wozniakowski, H., *Convergence and complexity of Newton iteration*, J. Assoc. Comput. Math., **29** (1979), 250–258
- [15] Wang, X., *Convergence of Newton's method and uniqueness of the solution of equations in Banach space*, IMA J. Numer. Anal., **20** (2000), 123–134

DEPARTMENT OF MATHEMATICAL SCIENCES
CAMERON UNIVERSITY
LAWTON, OK 73505, USA
E-mail address: iargyros@cameron.edu

Received: 08.08.2017; In revised form: 13.03.2018; Accepted: 20.03.2018

2010 Mathematics Subject Classification. 65G99, 65H10, 47H17, 49M15.

Key words and phrases. Gauss-Newton's method, least squares problems, Ball convergence, Lipschitz condition.

Corresponding author: Ioannis K. Argyros; iargyros@cameron.edu

DEPARTMENT OF MATHEMATICS EDUCATION AND THE RINS
GYEONGSANG NATIONAL UNIVERSITY
JINJU 660-701, KOREA
E-mail address: yjcho@gnu.ac.kr

DEPARTMENT OF MATHEMATICAL AND COMPUTATIONAL SCIENCES
NIT KARNATAKA, INDIA-575 025
E-mail address: sgeorge@nitk.ac.in